SOLAR COLLECTOR **CERTIFICATION AND RATING**



CERTIFIED SOLAR COLLECTOR

SUPPLIER:

Solimpeks Solar Energy Corp

Hilal Sk. No:20, 42300 Karatay

Konya, Karatay 42300 Turkey

MODEL:

Wunder CLSF 2108

COLLECTOR TYPE:

Glazed Flat-Plate

CERTIFICATION#:

2010070B

Original Certification Date:

16-NOV-11

COLLECTOR THERMAL PERFORMANCE RATING									
Kilowatt-hours Per Panel Per Day				Thousands of BTU Per Panel Per Day					
CATEGORY (Ti-Ta)	CLEAR DAY (6.3 kWh / m ² .day)	MILDLY CLOUDY (4.7 kWh / m ² .day)	CLOUDY DAY (3.1 kWh / m ² .day)	CATEGORY (Ti-Ta)	CLEAR DAY (2000 Btu / ft ² .day)	MILDLY CLOUDY (1500 Btu / ft ² .day)	CLOUDY DAY (1000 Btu / ft ² .day)		
A (-5 °C)	8.8	6.7	4.5	A (-9 °F)	30.1	22.7	15.4		
B (5 °C)	8.1	5.9	3.8	B (9 °F)	27.5	20.2	12.9		
C (20 °C)	6.9	4.8	2.7	C (36 °F)	23.5	16.4	9.3		
D (50 °C)	4.8	2.8	1.0	D (90 °F)	16.5	9.6	3.3		
E (80 °C)	2.9	1.2	0.0	E (144 °F)	10.0	4.1	0.0		

A- Pool Heating (Warm Climate) B- Pool Heating (Cool Climate) C- Water Heating (Warm Climate) D- Water Heating (Cool Climate) E- Air Conditioning

COLLECTOR SPECIFICATIONS

Gross Area:

 2.070 m^2

22.28 ft²

Net Aperture Area: 1.89 m² 20.34 ft²

Dry Weight:

39.0 kg 1500. KPa 86. lb

Fluid Capacity:

2.7 liter 0.7 gal

Test Pressure:

218. psig

COLLECTOR MATERIALS

Frame:

Aluminum

Cover (Outer):

Tempered glass

Cover (Inner):

N	ΔΡ			
gpm	Pa	in H ₂ O		
	gpm	gpm Pa		

Pressure Drop

Absorber Material:

Tube - Copper /

Plate - Copper

Insulation Side:

Fiber

Absorber Coating:

Selective coating

Insulation Back:

Fiber

TECHNICAL INFORMATION

Efficiency Equation [NOTE: Based on gross area and (P)=Ti-Ta]

Y INTERCEPT

SLOPE

SI Units:

n = 0.696

-3.27150 (P)/I

 $-0.00566 (P)^2/I$

0.699

-3.640 W/m².°C

IP Units: n= 0.696

-0.57627 (P)/I $-0.00055 (P)^2/I$ 0.699

-0.641 Btu/hr.ft².°F

Incident Angle Modifier [(S)=1/cos0 - 1, 0°<0<=60°]

Test Fluid:

Water

 $K\tau\alpha = 1$ $K\tau\alpha = 1$

-0.137 (S) -0.15 (S)

 $-0.005 (S)^2$ Linear Fit

Test Flow Rate:

16.4 ml/s.m² 0.0241 gpm/ft²

REMARKS:



AWARD OF COLLECTOR CERTIFICATION

The solar collector listed below has been evaluated by the Solar Rating and Certification Corporation (SRCC) in accordance with SRCC Document OG-100, Operating Guidelines and Minimum Standards for Certifying Solar Collectors, and has been certified by the SRCC as specified in SRCC Standard 100-94, Test Methods and Minimum Standards for Certifying Solar Collectors. Certification and thermal performance ratings are based on the successful durability and performance testing of a sample unit where said tests have been conducted by an independent laboratory accredited by the SRCC.

Collector Certification Number: 100-2010070B

Certification Date: 16-NOV-11

Type: Glazed Flat-Plate

Expiration Date: 08-AUG-23

Test Laboratory: ITW

Report Number: 10COL941S

Report Date: 08-AUG-11

Brand: Wunder CLSF

Certified Model: 2108

Model Tested: 2010070A

Supplier:

Solimpeks Solar Energy Corp

Hilal Sk. No:20, 42300 Karatay Konya, Karatay 42300 Turkey

(+90) 332 444 06 02

Description: Aluminum frame. Tempered glass cover. Copper absorber with Selective coating. Fiber side insulation and Fiber back insulation. Water was the fluid for performance tests. Gross Area: 2.07 m² (22.3 ft²). Aperture Area: 1.889 m² (20.3 ft²).

	GLAZED COLLECTOR THERMAL PERFORMANCE RATING										
	Megajoules Per Panel Per Day				Thousands of BTU Per Panel Per Day						
	CATEGORY (Ti-Ta)	CLEAR DAY	MILDLY CLOUDY	CLOUDY DAY		CATEGORY (Ti-Ta)	CLEAR DAY	MILDLY CLOUDY	CLOUDY DAY		
A	(-5 °C)	31.7	24.0	16.3	Α	(-9 °F)	30.1	22.7	15.4		
В	(5 °C)	29.0	21.3	13.6	В	(9 °F)	27.5	20.2	12.9		
С	(20 °C)	24.8	17.3	9.8	C	(36 °F)	23.5	16.4	9.3		
D	(50 °C)	17.4	10.1	3.5	D	(90 °F)	16.5	9.6	3.3		
Е	(80 °C)	10.5	4.3	0.0	Е	(144 °F)	10.0	4.1	0.0		

A- Pool Heating (Warm Climate) B- Pool Heating (Cool Climate) C- Water Heating (Warm Climate) D- Water Heating (Cool Climate) E- Air Conditioning

Efficiency Equation [NOTE: Based on gross area and (P)=Ti-Ta]

Y INTERCEPT

SLOPE

S I UNITS:

 η = 0.696 -3.27150 (P)/I

 $-0.00566 (P)^2/I$

0.699

-3.64 W/m².°C

I P UNITS:

 $\eta = 0.696$

-0.57630 (P)/I

 $-0.00060 (P)^2/I$

0.699

-0.60 Btu/hr.ft².°F

Incident Angle Modifier [(S)=1/cos0 - 1, 0°<0<=60°]

 $K\alpha = 1$

-0.14 (S)

 $-0.005 (S)^2$

 $K\alpha = 1$

-0.15 (S)

Linear Fit (S)²

REMARKS:

This award of certification is subject to all terms and conditions of the program Agreement and the documents incorporated therein by reference. It must be renewed annually. Any change in collector design, materials, specifications, parts, or construction must be reported to SRCC for evaluation of continued certification.

Technical Director

November 16, 2011



OG-100 SRCC COLLECTOR CERTIFICATION